Does season of burn influence fuel life cycle and fire behavior in longleaf pine flatwoods of the southeastern US?



Jim Cronan, PhD student

University of Washington, School of Environmental and Forest Sciences

Overview

- Background
- Hypothesis
- Methods
- Results
- Conclusions
- Further analysis

Background: the longleaf pine ecosystem



Longleaf pine flatwoods. Apalachicola National Forest, Florida. Jim Cronan, 2012.

Background: reference conditions



Pre-fire suppression flatwoods, southern Florida. John K Small, 1928.


Background: current management




Prescribed fire, Apalachicola National Forest, Florida. Jim Cronan, 2010.

Hypotheses

- H₁: Forb biomass regeneration is greater following growing season burns.
- H₂: Shrub biomass regeneration is greater following dormant season burns.




Methods: study area




Methods: sampling design


- Systematic plot layout fit to natural stand boundaries
- Measures include loading, percent cover, fuelbed height, and forest floor depth.




Results: forb loading distribution by season and region



Results: shrub loading distribution by season and region



Results: percent change in fuel class loading by region and season for 1 and 2 year post treatment measurements




Results: analysis of variance

		F-statistic	P-value
forb 1 year	region	2.13	0.1703
	season	1.52	0.2416
shrub 1 year	region	4.64	0.0522 [·]
	season	0.88	0.3660
forb 2 year	region	1.21	0.2924
	season	0.08	0.7880
shrub 2 year	region	3.34	0.0925
	season	3.47	0.0873

Significance codes: ****' < 0.001, ***' < 0.01, **' < 0.05, *'' < 0.1.

- Bartlett's test for constant variance.
- Residuals normally distributed (Shapiro-Wilkes Normality test).

Results: percent change in fuel class loading by region and season for 1 and 2 year post treatment measurements



Conclusions


- Fail to reject both null hypotheses. No effect of season or region on live fuel loading.
- Single burns have little impact on live fuel composition.
- Link between seasonality and understory vegetation is a function of time and fire return interval.



Further Analysis

FUEL LIFE CYCLE & FIRE HAZARD

- Incorporate repeated measures into a single model - linear mixed effects.
- Analysis that incorporates full suite of measured fuel variables.



Further analysis

ECOLOGICAL

- Use species level data to explore ecological impacts of treatments.
- Interactions between long term fire history, other site factors and species composition.



Acknowledgements

- •Committee members: Ernesto Alvarado, Clint Wright, John Skalski, Morgan Varner, Mark Kot
- Pacific Wildland Fire Sciences Lab: field crew, Maria Petrova, Paige Eagle, Bob Vihnanek, and Maureen Kennedy
- Funding:



• Supporting organizations:

Kevin Hiers and Brett Williams (Eglin AFB), Eugene Watkins (Apalachicola NF), Jennifer Hinckley and Gregory Titus (St. Marks NWR).



